



Plasma-Therm
SLR SERIES

CAUTION: NOT ESD SAFE

MS-DOS

CAUTION: NOT ESD SAFE





SC TECHNOLOGY, INC.

368 Earhart Way, Livermore, CA 94550

SYSTEM.
MODEL NO.
PART NO.
SERIAL NO.
D.O.M.

Delta Laser Head
DES-200LPT

REV.

REV.


Manufactured:
October 1993
Complies with 21 CFR
1040.10 & 1040.11

DO NOT
REMOVE


FACTORY
SET


DO NOT
REMOVE

FACTORY
SET












RIE












HOURS

9 8 3 2 5 6 7






NO FLUID
IN THIS PUMP
FILL WITH PROPER
FLUID BEFORE USING.


Model: SK18P0213C
Voltage: 200V-230V/460V
Power: 1.25kW
Flow: 1.2L/min
Pressure: 3.0MPa
Temp: 0-100°C
Media: Water, Oil, Solvent
Material: Stainless Steel
Max. Amp: 10A
TYPICAL PERFORMANCE DATA AT 9.8-10.3/5
PI NO. 122-50-011
SUITABLE FOR 200-230V/460V VOLTS 50HZ AT 9.8-10.3/5
MADE IN U.S.A. - MADE IN KOREA

HYDROCARBON
FLUIDS ONLY





ACCESSORY



Cool ☐
Remote ☐
Level ☐

Temp °C



FAULT

POWER



START



DISPLAY



ADJUST

LOCAL ☒ REMOTE

HX75
RECIRCULATING CHILLER

