



 Multiplex
ICP

 STS

Surface Technology Systems

RF IN

(SUPPLY)

WARNING

HAZARDOUS AREA

HIGH RF VOLTAGE

AUTHORIZED PERSONNEL

ONLY

SIGNAL

OUT

SEASOR

LM



STS

ONLY

R.F. 1 DRIVE

GATE

R.F. 2 DRIVE

GATE

R.F. 3 DRIVE

GATE

R.F. 4 DRIVE

GATE

R.F. 5 DRIVE

GATE

R.F. 6 DRIVE

GATE

R.F. 7 DRIVE

GATE

R.F. 8 DRIVE

GATE

R.F. 9 DRIVE

GATE

R.F. 10 DRIVE

GATE

R.F. 11 DRIVE

GATE

R.F. 12 DRIVE

GATE

R.F. 13 DRIVE

GATE

R.F. 14 DRIVE

GATE

R.F. 15 DRIVE

GATE


R.F. 16 DRIVE

GATE

R.F. 17 DRIVE

GATE





WATER
PLANT OFF

PRODUCED

CLOUD AT

PLANT OFF

CLOUD AT

— BENICOR



STOP

RESET

SAC1

MV1

LLC1

PA1A

HC1

PERIODIC
MONITORING

SET VALUE

OFF TO ON

ON TO OFF

STOP TO ON

ON TO STOP

PERIODIC SET

ABEN

ABIN











WARNING
LINE VOLTAGE
ALWAYS PRESENT

DANGER !
HIGH VOLTAGE
TRAINED SERVICE
PERSONNEL ONLY

